Floodplain Development Permit Application For City Of Bennington

This is an application packet for a Floodplain Development Permit. Certain sections are to be completed by the Applicant, and certain sections are to be completed by the local Floodplain Administrator (FPA).

The National Flood Insurance Program (NFIP) provides flood insurance to individuals at much lower premiums than could otherwise be purchased through private insurers, and makes certain federal monies available to local communities. In order for citizens to be eligible for the national flood insurance rates, or for communities to receive certain kinds of federal monies, the community must agree to meet minimum floodplain standards. This application packet is a tool to ensure that the minimum standards are met.

In a participating NFIP community, flood insurance policies can be purchased from any local insurance agent at the national rate. Even though the policy may be issued as if it were coming from the insurance company you deal with, it is actually a Federal NFIP policy printed on the insurance agency's letterhead. The rates are determined by the flood risk zone in which you live and by the elevation of the lowest floor of your home, not by the insurance company, and should be the same regardless of which agent or agency sells you the insurance.

You may buy flood insurance for your own peace of mind, you may be required to buy it before a lending institution will make or refinance a loan, or you may not be buying flood insurance at all. Whatever the case, if the property which you propose to develop is located within a "Special Flood Hazard Area" on a flood map issued by the Federal Emergency Management Agency (FEMA), you <u>MUST</u> obtain a Floodplain Development Permit prior to beginning the project. This is a requirement of the local Flood Damage Prevention Ordinance of your community, and there are penalties for failing to do so.

Floodplain Development Permits are ONLY required for developments in areas designated as "Special Flood Hazard Areas" of FEMA-issued flood maps. Flood maps can be reviewed at the office of your local FPA, or online at the FEMA website (www.FEMA.gov).

If you are proposing a development of any kind (constructing a new building, adding on to an existing building, clearing land, placing fill, grading land, mining, dredging, drilling, etc...) in a floodplain, you <u>MUST</u> submit Section I of this application for a Floodplain Development Permit to your local FPA. Depending upon the type of development you are proposing, additional forms *may* be required. For example, all new buildings in a Special Flood Hazard Area require an Elevation Certificate to document that the lowest floor of the building is elevated to a certain height relative to the anticipated flood crest of the "base flood" event. The Elevation Certificate and other forms are provided in Section III of this application packet, *but should only be completed if they are required by the FPA for the proposed development*.

Typically, the Applicant completes Section I of this packet and submits the information to the local FPA. The FPA reviews the submission and determines whether or not additional information is needed. If it is, the FPA will request the additional information from the Applicant. Once all required materials have been submitted, the FPA will make a permitting decision and either issue or deny the requested Floodplain Development Permit. (Denied permits may be appealed per the provisions of the local Flood Damage Prevention Ordinance.)

The Applicant should understand that a Floodplain development Permit is only a permit to complete the proposed development. It is a permit to, for example, build a house, construct a baseball field, install a drainage ditch or septic system or grade a parcel of land. Before the house can actually be occupied, or the developed land used, a Compliance Certificate must be issued by the local FPA. The FPA will perform an inspection after the project is completed, or perhaps several inspections throughout the progress of the project, to make sure that the development is compliant with the requirements of the local Flood Damage Prevention Ordinance. Once the Compliance Certificate has been issued, the process has been completed.

INSTRUCTIONS FOR COMPLETION

SECTION I

General Information

Self-explanatory. Note the last two items under this heading.

Owner Information

List the contact information for the owner(s) of the property where development is proposed. All owners of the property must sign the application.

Applicant Information

If you are applying for this development permit, but are not the owner of the property, list your contact information here. If you are the property owner, leave this section blank.

Project Information

Check the box (es) beside the type of development that is being proposed. Note that some types of activity require the estimated cost of the proposed project to be disclosed so the Floodplain Administrator (FPA) can determine whether or not the improvement is a "substantial improvement."

Signature

Print your name, sign your name, and date the application.

SECTION II

Floodplain Information

The FPA will determine – for the sole purpose of administering the local Flood Damage Prevention Ordinance – the position of the proposed development relative to community floodplains and floodways. This determination is not binding at any lending institution or with any insurance agency, but is used to determine whether or not a Floodplain Development Permit and/or any other forms are required prior to commencing the proposed project.

Section II requires a map and panel number(s), a listing of the flood source for the proposed development, and contains a checklist of additional documents required for the FPA to make an informed permitting decision.

If any of the additional documentation is required, the FPA is to notify the applicant, allow a reasonable length of time for submission of the documents, and then review all submissions to determine whether or not the permit will be issued.

SECTION III

Forms

Templates for forms that may be required are provided in this Section.

SECTION IV

Permit Determination

The FPA will indicate whether or not the proposed development is conformant with the requirements of the local Flood Damage prevention ordinance, and whether or not the requested permit is issued. If the decision is to NOT issue the permit, the FPA will provide an explanation of the perceived deficiencies to the Applicant.

SECTION V

Certificate of Compliance

The FPA will indicate the "As-Built" lowest floor elevation for structural developments, list any inspections that have been performed, and issue the Certificate of Compliance to the Applicant if appropriate.

FLOODPLAIN DEVELOPMENT PERMIT APPLICATION FORM FOR CITY OF BENNINGTON

Λ	FFICE	TED O	NTT V	
U	FFICE	USE U	INLI	
			100	
Date F	Receive	d:		
100000	- 8			 -
File	Numbe	Fr.		9.3
			ALC: 12.00 (0.00 ACC)	

SECTION I: Applicant and Project Information

GENERAL INFORMATION

- 1. No work of any kind may begin in a floodplain area designated as A, A1-30, AE, AO, AH, or B until a floodplain development permit is issued.
- 2. The permit may be revoked if any false statements are made in this application.
- 3. If revoked, all work must cease until a permit is re-issued.
- 4. The development may not be used or occupied until a Certificate of Compliance is issued.
- 5. The permit will expire if no work is commenced within 6 months of the date of issue.
- 6. The permit will not be issued until any other necessary local, state or federal permits have been obtained.
- 7. By signing and submitting this application, the Applicant gives consent to the local Floodplain Administrator or his/her representative to make reasonable inspections prior to the issuance of a **Certificate of Compliance**.
- 8. By signing and submitting this application, the Applicant certifies that all statements contained in SECTION I of the application, and in any additional attachments submitted by the Applicant, are true and accurate.

OWNER INFORMATION	
Property owner(s):	Mailing address:
Telephone number:	
Fax number:	e-mail address:
Signature(s) of property owner(s) listed above ¹	¹ Attached forms if there are additional property owners. This permit application will not be accepted without the signature of all property owners. The signature is an acknowledgement and consent to this floodplain development permit application.
APPLICANT INFORMATION	
Applicant:	Notes:
Telephone number:	
Fax number:	
Signature of applicant listed above	

Section I continued on back

rojectddress	Lot Subdivisio Legal Desc	
A. Structural developm	ent (Please check all that apply.	
Type of Structu	re	
Residential Non-Reside Elevat Floody Combined Manufactus		
☐ Alteration © Relocation ☐ Demolition	· · · · · · · · · · · · · · · · · · ·	² Estimate Cost of Project
B. Other Development	Activities	
	(not related to a Structural Developm	nent listed in Part A.)
Clearing Placement Grading Mining Drilling Dredging Watercours Drainage in Individual Roadway of	of fill material se alteration mprovement (including culvert work) water or sewer system or bridge construction lopment not listed above (specify)	² If the value of an addition or alteration to a Structure equals or exceeds 50% of the value of the structure before the addition or alteration, the entire structure must be treated as a substantially improved structure. A relocated Structure must be treated as new construction.

le]				

SECTION II: (To be completed by Floodplain Administrator)

FL	LOOD INFORMATION				
1. 2.		(number and suffix)			
3.	· <u> </u>), or X)			
4.		•			
	\square YES \square NO If NO, no permit floodplain development is required.	,,			
5.		nent permit is only			
	Required if the Development is a "critical facility" as defined in the Flood Damage Preven	-			
	Otherwise, no floodplain development permit is required in Zone B or shaded Zone X .				
6.	If the proposed development is located within either Zone A1-30 or Zone AE, is it also loc "Regulatory	ated within a			
7.	If YES, a No Rise Certificate is necessary before proceeding.				
8.	If NO, continue.				
	If the proposed development is located within Zones A, A1-30, AE, AO, AH, <u>B or shaded X (croonly)</u> , apply the criteria of the Flood Damage Prevention Ordinance to minimize flood damages Proposed Development and to adjacent properties as well.	-			
	For structures, the provisions of the ordinance specify that the lowest floor, including utilit above the base flood elevation. Therefore, it is necessary that the following inform	•			
1.	Base flood elevation at the feet above mean sea level (MSL) site:				
2.	Vertical datum used in the Flood Insurance Study, on flood maps and in surveys is				
3.	17				
	(BFE) Flood Insurance Study Profile #				
	Other sources of the BFE				
	(specify):				
4.	Proposed lowest floor elevation (including feet above MSL				
	utilities):				
	(This elevation must be greater than the BFE. For non-residential structures, floodproofing Protection. See ordinance for details.)	g may be used for			
	The following documents may be required. Check applicable.				
	☐ Maps and plans of the				
	development				
	An Elevation Certificate ³ – required for all structures				
	☐ A Floodproofing Certificate³ – required if floodproofing a non-residential structure ☐ A No-Rise Certificate³ – if the proposed development is in a "regulatory floodway"				
	An elevation study showing BFEs on developments exceeding 50 lots or 5 acres in Zo				
	A copy of Wetlands Permit from the U.S. Army Corps of Engineers if required; and other local, state, Federal permits. Other permits:				

	File Number:
SECTION III: (Forms which may be required by the F	loodplain Administrator)
ELEVATION CERTIFICATE	
Attached. Submit only if required to do so by the Floodplain Administr	rator.
FLOODPROOFING CERTIFICATE	
Attached. Submit only if required to do so by the Floodplain Administr	rator.
NO-RISE CERTIFICATE	
Attached. Submit only if required to do so by the Floodplain Administr	rator.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Important: Read the separate instructions.

		SE	CTION A - PROPERTY	INFORMA	TION	For Insurance Company Use:
A1.	A1. Building Owner's Name Pol					Policy Number
A2.	. Building Street Address (includi	ing Apt., Unit, Suite, and/or Bl	dg. No.) or P.O. Route and B	ox No.		Company NAIC Number
	City State ZI	P Code				-
A3.	. Property Description (Lot and B	Block Numbers, Tax Parcel Nu	mber, Legal Description, etc.	j		
A5. A6. A7.	Building Use (e.g., Residential, Latitude/Longitude: Lat Attach at least 2 photographs of Building Diagram Number For a building with a crawl spac a) Square footage of crawl spac b) No. of permanent flood open enclosure(s) walls within 1.6 c) Total net area of flood open	Long The building if the Certificate in the building if the Certificate in the core enclosure(s), provide the core enclosure(s) in the crawl space or 0 foot above adjacent grade ings in A8.b	is being used to obtain flood i	A9. For a buil a) Squa b) No. c walls c) Total	within 1.0 foot above net area of flood open	d garage sq ft benings in the attached garage e adjacent grade enings in A9.b sq in
	NEID Commercial National Commercial Commerci			VIAT (FIRIVI	, , , , , , , , , , , , , , , , , , ,	
B1.	NFIP Community Name & Comm	nunity Number	B2. County Name			B3. State
E	34. Map/Panel Number B5	. Suffix B6. FIRM Inde	B7. FIRM Pa Effective/Revise		B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
	☐ FIS Profile ☐ FI Indicate elevation datum used fo Is the building located in a Coas Designation Date	or BFE in Item B9:	NGVD 1929 NAV	_	Other (Describe) _DPA)?	 □Yes □No
		SECTION C - BUILDING	G ELEVATION INFORM	MATION (SL	JRVEY REQUIR	≡ D)
C2.	Building elevations are based on: *A new Elevation Certificate will Elevations – Zones A1-A30, AE, according to the building diagram Benchmark Utilized Verti Conversion/Comments	Construction D be required when construction AH, A (with BFE), VE, VI-V a specified in Item A7.	rawings*	ding Under Co	onstruction*	Finished Construction
C2.	*A new Elevation Certificate will Elevations – Zones A1-A30, AE, according to the building diagram Benchmark Utilized Verticonversion/Comments Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizond) Attached garage (top of slab	Construction D be required when construction AH, A (with BFE), VE, VI-V a specified in Item A7. ical Datum seement, crawl space, or enclos ntal structural member (V Zon o) ery or equipment servicing the t in Comments) grade (LAG)	rawings*	ding Under Co , AR/AE, AR/ Cl feet feet	onstruction* A1-A30, AR/AH, AF meck the measuremen meters (Puerto	Finished Construction R/AO. Complete Items C2.a-g below t used. Rico only) Rico only) Rico only) Rico only) Rico only) Rico only)
C2.	*A new Elevation Certificate will Elevations – Zones A1-A30, AE, according to the building diagram Benchmark Utilized Verti Conversion/Comments Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizon d) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment f) Lowest adjacent (finished) g	Construction D be required when construction AH, A (with BFE), VE, VI-V a specified in Item A7. ical Datum seement, crawl space, or enclos ntal structural member (V Zon o) ery or equipment servicing the t in Comments) grade (LAG) grade (HAG)	rawings*	CI	onstruction* A1-A30, AR/AH, AF neck the measuremen meters (Puerto	Finished Construction R/AO. Complete Items C2.a-g below t used. Rico only) Rico only) Rico only) Rico only) Rico only) Rico only)
C2.	*A new Elevation Certificate will Elevations – Zones A1-A30, AE, according to the building diagram Benchmark Utilized Vertification of Conversion/Comments Vertification of the lowest horizon of the lowest horizon of the lowest horizon of the lowest horizon of the lowest elevation of machine (Describe type of equipment of Lowest adjacent (finished) of the lowest adj	Construction D be required when construction AH, A (with BFE), VE, VI-V a specified in Item A7. ical Datum seement, crawl space, or enclos ntal structural member (V Zon o) ery or equipment servicing the t in Comments) grade (LAG) grade (HAG) SECTION D - SURVEY sealed by a land surveyor, engiation on this Certificate repres	rawings*	CI	A1-A30, AR/AH, AF meck the measurement meters (Puerto meters (Pue	Finished Construction R/AO. Complete Items C2.a-g below t used. Rico only)
This info	*A new Elevation Certificate will Elevations – Zones A1-A30, AE, according to the building diagram Benchmark Utilized Vertification of Conversion/Comments Vertification of the lowest horizon of the lowest horizon of the lowest horizon of the lowest horizon of the lowest elevation of machine (Describe type of equipment of Lowest adjacent (finished) of the lowest adj	Construction D be required when construction AH, A (with BFE), VE, VI-V a specified in Item A7. ical Datum seement, crawl space, or enclos ntal structural member (V Zon b) ery or equipment servicing the t in Comments) grade (LAG) grade (HAG) SECTION D - SURVEY sealed by a land surveyor, engitation on this Certificate representation on this Certificate representation or the content of the con	rawings*	CI	A1-A30, AR/AH, AF meck the measurement meters (Puerto meters (Pue	Finished Construction R/AO. Complete Items C2.a-g below t used. Rico only) Rico only) Rico only) Rico only) Rico only) Rico only)
This info	*A new Elevation Certificate will Elevations – Zones A1-A30, AE, according to the building diagram Benchmark Utilized Vertification V	Construction D be required when construction AH, A (with BFE), VE, VI-V a specified in Item A7. ical Datum seement, crawl space, or enclos ntal structural member (V Zon b) ery or equipment servicing the t in Comments) grade (LAG) grade (HAG) SECTION D - SURVEY sealed by a land surveyor, engitation on this Certificate representation on this Certificate representation or the content of the con	rawings*	CI	A1-A30, AR/AH, AF meck the measurement meters (Puerto meters (Pue	Finished Construction R/AO. Complete Items C2.a-g below t used. Rico only) N
This info	*A new Elevation Certificate will Elevations – Zones A1-A30, AE, according to the building diagram Benchmark Utilized Vertification V	Construction D be required when construction AH, A (with BFE), VE, VI-V a specified in Item A7. ical Datum seement, crawl space, or enclos ntal structural member (V Zon b) ery or equipment servicing the t in Comments) grade (LAG) grade (HAG) SECTION D - SURVEY sealed by a land surveyor, engitation on this Certificate repress may be punishable by fine or in the provided on back of form.	rawings*	CI	onstruction* A1-A30, AR/AH, AI neck the measuremen meters (Puerto	Finished Construction R/AO. Complete Items C2.a-g below t used. Rico only) Rico only)

IMPORTANT: In these spaces, copy the corresponding information from Section A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
City State ZIP Code	Company NAIC Number
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION	(CONTINUED)
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner	т.
Comments	
Signature Date	
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE	Check here if attachments AO AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F re and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is	ve or below the highest adjacent grade (HAG) and ve or below the HAG. ve or below the LAG. uctions), the next higher floor (elevation C2.b in or below the HAG.
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) C	ERTIFICATION
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-imust sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name	
Address City St	tate ZIP Code
Signature Date Te	elephone
Comments	
SECTION G - COMMUNITY INFORMATION (OPTIONAL)	☐ Check here if attachments
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can delevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8. and G9. The information in Section C was taken from other documentation that has been signed and sealed by a licensed sur law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below A community official completed Section E for a building located in Zone A (without a FEMA-issued or community The following information (Items G4G9.) is provided for community floodplain management purposes.	rveyor, engineer, or architect who is authorized by v.)
G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of	f Compliance/Occupancy Issued
67. This permit has been issued for: New Construction Substantial Improvement 68. Elevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum 69. BFE or (in Zone AO) depth of flooding at the building site:	
Local Official's Name Title	
Community Name Telephone	
Signature Date	
Comments	
	☐ Check here if attachment

Building Photographs

See Instructions for Item A6.

		·	For Insurance Company Use:		
Building S	Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box Policy Number				
_	ou our radic	35 (morading rept., one, build, and of bidg. 140.) of 1.0. Route and box			
No.					
City	State	ZIP Code	Company NAIC Number		
			· ·		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

Building Photographs

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number
City	State	ZIP Code	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

FLOODPROOFING CERTIFICATE

FOR NON-RESIDENTIAL STRUCTURES

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance. FOR INSURANCE COMPANY USE BUILDING OWNER'S NAME POLICY NUMBER STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg number) OR P.O. ROUTE AND BOX NUMBER COMPANY NAIC NUMBER OTHER DESCRIPTION (lot and Block Numbers, etc) CITY STATE ZIP CODE SECTION I - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM: BASE ELOOD ELEVATION COMMUNITY NUMBER PANEL NUMBER **SUFFIX** DATE OF FIRM INDEX FIRM ZONE (In AO Zones, Use Depth) SECTION II – FLOODPROOFING INFORMATION (By a Registered Professional Engineer or Architect) Floodproofing Design Elevation Information: Building is floodproofed to an elevation of Feet NGVD. (Elevation datum used must be the same as that on the FIRM) Height of floodproofing on the building above the lowest adjacent grade is feet. (NOTE: for insurance rating purposes, the building's floodproofed design elevation must be at least one foot above the Base Flood Elevation to receive rating credit. If the building is floodproofed only to the Base Flood Elevation, then the building's insurance rating will result in a higher premium.) SECTION III - CERTIFICATION (By a Registered Professional Engineer or Architect) Non-Residential Floodproofed Construction Certification: I certify that, based upon development and/or review of structural design, specifications, and plans for construction, the design and methods of construction are in accordance with accepted standards of practive for meeting the following provisions: The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water. All structural components are capable of resisting hydrostatic and hydrodynamic flood forces, including the effects of buoyancy, and anticipated debris impact forces. I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code. Section 1001. CERTIFYER'S NAME LICENSE NUMBER (or Affix Seal) TITLE COMPANY NAME ADDRESS CITY STATE ZIP CODE SIGNATURE DATE PHONE

Copies should be made of this Certificate for: 1) community official, 2) Insurance agent/company, and 3) building owner.

NATIONAL FLOOD INSURANCE PROGRAM

ENGINEERING "NO-RISE" CERTIFICATE

FO KANSAS COMMUNITIES

SIT	TE INFORMATION
Community	County
Applicant	Date
Address	Engineer
Telephone	Address
	Telephone
	Lot Block
Project Address	Subdivision
·	Legal Description
PROJ	JECT INFORMATION
Description of Description	
Dringing Ligg of Dramings	· · · · · · · · · · · · · · · · · · ·
rimcipal Ose of Frendses.	
FLOOD INSURANCE	E RATE MAP (FIRM) INFORMATION
NICID () 11(A) - 60(-1-	
Effective data of man:	
Base Flood Elevation on FIRM:	
Name of flooding source:	
	CERTIFICATION
	of fessional Engineer licensed to practice in the State of agineering data supports the fact the proposed development
would not result in any increase in flood levels	s within the community during the occurrence of a base
flood event.	
CERTIFIER'S NAME	LICENSE NUMBER
CERTIFIER'S NAME	EIGENGE NOWDELV
COMPANY NAME	(embossed seal)
SIGNATURE	DATE
TITLE	

ARKANSAS FLOODPLAIN DEVELOPMENT PERMIT

	OFFICE	USE ONI	Y
		OOD OIL	
I)ate I	ssued:		
Daw 1	oouvu.		
T::1_ NT	umber :		
FIIC IN	uniber.		

SECTION IV: (To be completed by the Floodplain Administrator)

PERMIT DET	ΓERMINAT	CION	
	etermined that IS IS NOT	at the proposed development (non-conformances to be described in a separate document)	ent)
in confort dated	mance with	local Flood Damage Prevention Ordinance	Number ,
		 -	
The Floor	dplain Deve	elopment Permit	
	IS IS NOT	(reasons for denial to be described in a separate docume	nt)
issued, su	ibject to any	y conditions attached to and made part of the	is permit.
SIGNA	TURE		DATE
	•	eminded that this document is a developmen Compliance Certificate must be issued befor	-

CERTIFICATE OF COMPLIANCE

i						L)	۲.	ť	I	U	İ	3	ι	J	B	İ	1	L	J	١	ı	7	ľ					
	2000	440	00000	4000	200,00	00000	0000	W.W.		, ,			***	***			,,,,,	Section .	Sec. Sec.	200	****		,	****	30,000	anc.	****		200.00
																													1111
-	~					•				-1													74						
	• •	a	t.	0	. I	C	C	11	_	М	•																		11.0
1	"	а	u			.0	Э	u	e	u																			11111
																		****	900	100			1000		1000	0.93			
					333										186														
		×																											
Т	.	п	_		M			82	1_	98.X	40 m																		
	48	- 1	е:	*	EN.	B B	H	n	b		т				10														1
•	88				300		***		•		•				1														
									100				9			••••	•	***	11110				•	-	-	22.2		-	-
	-					-	_							•					_			_				_	-	_	_

SECTION V : CERTIFICATE OF COMPLIANCE

"AS-BUILT" ELEV	ATION (to be com	pleted by the applican	t after construction)		13.23.23.23
must be complet		v	that are part of this ap Professional Engineer (4	's section
Feet	t above MSL (vertica	ıl datum:	st floor, including the b). ection is Fe		
	tum:		ection is re	ct above wish	
The Floodplain	Administrator will co	omplete this section as	odplain Administrator) s applicable based on it ocal flood damage prev		
иечегортені го	епѕиге сотриансе w	nin ine community s to	ocai jiooa aamage prev	ention orainai	nce.
Inspections:	Date:	By:		☐ Yes	□ No
	Date:			☐ Yes	□ No
	Date:	By:		☐ Yes	□ No
	Date:	By:		☐ Yes	□ No
	Date:	By:	Deficiencies?	☐ Yes	☐ No
CERTIFICATE OF	COMPLIANCE (to b	se completed by the I	ocal Floodplain Admir	istrator	12750 22
CERTIFICATE OF	COMI LIANCE (10 t	be completed by the L	ocai i 100dpiani Adinii.	isitatoi)	2
Certificate of Co	ompliance issued.				
SIGNATURE	·		DATE		
Thin Court	agta of Compliance	in diagram that atmosphere	oo man nou ho occuri-	d d	
•	cate of Compliance i levelopments may be		es may now be occupie	a ana non-	
sii uciui ui u	erciophichis may be	on out to the contract of the			